



KLEENZINE PROFESSIONAL



INDUSTRIAL CLEANING MACHINES & HOUSE KEEPING



RIDE ON SWEEPER

Debris Hopper Capacity	130 L
Productivity	8750 m ² / Hr
Battery Spec	4 x 6v x 100AH
Max Working Width	1400 MM
Main Brush Width	700 MM
Side Brush Width & No's	450 MM (2 No's)
Max Speed & Working Speed	12Km/Hr & 6Km/Hr
Continious Working Time	4-5 Hrs
Radius of the Turn	1350 MM
Filter Surface	4.2 m ²
Max Gradient	20°
Weight	400 Kg
Dimension	160x140x180 (Cm)



MINI RIDE ON SWEEPER

Debris Hopper Capacity	80 L
Productivity	6300 m ² / Hr
Battery Spec	4 x 6V x 100AH
Max Working Width	1050 MM
Main Brush Width	500 MM
Side Brush Width & No's	450 MM (2 No's)
Max Speed & Working Speed	12Km/Hr & 6Km/Hr
Continious Working Time	4-5 Hrs
Radius of the Turn	1050MM
Filter Surface	4 m ²
Max Gradient	20°
Weight	300 Kg
Dimension	132x100x130 (Cm)

KLEENZINE 90 RIDE ON SWEEPER

-  Specially fitted with Dust Filter Motor
-  High Efficiency
-  Saves Time and Man - Power
-  Suitable for Large Size Area's



Central Aligned Handle for Better Riding experience






High Quality Anti-skid wheels for Easier and Safe Handling of Machines

Specifications

Description	Values
Voltage	24 V
Sweep Width with Center Brush	1000 mm
Sweep Width with Side Brush	1200 mm
Walking Speed	0 - 6 km/hr
Side Brush Motor	80 W (DC)
Driving Motor	350 W (DC)
Rolling Brush and Combined motor	600 W (DC)
Dust Vibration Motor	75 W (DC)
Battery	12 V * 2 pcs
Gradeability	11*
Dustbin Capacity	90 ltr
Filter Surface	5.5 m ²
Maximum Working Efficiency	7200 m ² /hr
Net Weight	284 kgs
Gross Weight	322 kgs

KLEENZINE RIDE ON SCRUBBER

-  High Efficiency
-  Saves Time and Man - Power
-  Suitable for Large Area's



Specifications



Centrally fitted head lamp for a wide angle viewing



High Quality Anti-skid wheels for Easier and Safe Handling of Machines

Description	Values
Gross Weight / Net Weight	669 kg / 590 kgs
Working Efficiency	4000 - 4500 m ² /h
Width of Suction Head	1150 mm
Working Width	900 mm
Washing Brush Diameter	17" x 2
Washing Brush Speed	150 rpm
Washing Brush Pressure	60 kgs
Washing Brush Voltage	36 V
Washing Brush Power	550 W x 2
Running Motor Voltage	36 V
Running Motor Power	900 W
Running Speed	0 - 6 km/hr
Suction Motor Voltage	36 V
Suction Motor Power	560 W
Suction Degree	210 mbar
Clean Water Tank Capacity	135 ltr
Dirty Water Tank Capacity	155 ltr
Run Duration	4 hr
Battery Capacity	6 V * 6 pcs
Charging Time	8 hr

KLEENZINE RIDE ON SCRUBBER



- Maximum Coverage for Maximum Efficiency
- Saves Time and Man - Power
- Suitable for Medium to Large Area's

Specifications

Description	Values
Gross Weight / Net Weight	256 kgs / 212 kgs
Voltage	DC 24 V
Water Sucker Hose	830 mm
Brush Diameter	560 mm * 1 pc
Floor Motor	550 W
Brush Pressure	30 kgs
Water Sucker Motor	400 W
Giving Sucker Motor	300 W
Brush Rotation Speed	155 rpm
Cleaning Width	550 mm
Battery	12V * 2 pcs
Charge Time	6-8 hrs
Working Time	2.5 - 3 hrs
Cleaning Rate	3250 m ² /hr
Clean Water Tank Capacity	70 ltr
Dirty Water Tank Capacity	80 ltr



Central Aligned Handle for better Riding Experience



High Quality Anti-skid wheels for Easier and Safe Handling of Machines



SCRUBBER DRYER

Recovery Tank	56L	56L	50L
Solution Tank	50L	50L	45L
Power Supply	Cable	Battery	Cable
Productivity	2100m ² /Hr	2100m ² /Hr	2100m ² /Hr
Max Speed & Working Speed	8Km/Hr & 4Km/Hr	8Km/Hr & 4Km/Hr	8Km/Hr & 4Km/Hr
Battery Spec	NA	2 x 12V x 100AH	NA
Vacuum Motor	550W	550W	500W
Brush Motor	550W	550W	650W
Brush Pressure	30Kg	30Kg	30Kg
Scrubbing Width	530MM	530MM	530MM
Suction Width	780MM	780MM	770MM
Brush Speed	180 Rpm	180 Rpm	185 Rpm
Max Gradient	50°	50°	50°
Noise Level	<65dba	<65dba	<65dba
Working time	Continuous	4-5 Hrs	Continuous
Wire Length	20M	NA	20M
Brush Size	20"	20"	20"
Dimension	129 x 59 x 107 (Cm)	129 x 59 x 107 (Cm)	116x 75 x 106 (Cm)
Weight	90 Kg	90 Kg	80 Kg

KLEENZINE

KLEENZINE PROFESSIONAL



RIDE ON SCRUBBER DRYER

Recovery Tank	100L
Solution Tank	90L
Productivity	4050m ² /Hr
Battery Spec	2 x 12V x 150AH
Scrubbing Width	650MM
Suction Width	980MM
Max Speed & Working Speed	12Km/Hr & 6Km/Hr
Suction Motor	550W
Driving Motor	500W
Brush Motor	350W
Brush (Rpm)	180Rpm
Brush Pressure	30Kg
Brush Size	20"
Noise Level	<68dba
Max Gradient	10°

MINI RIDE ON SCRUBBER DRYER

Recovery Tank	75L
Solution Tank	65L
Productivity	3000m ² /Hr
Battery Spec	2 x 12V x 100AH
Scrubbing Width	530MM
Suction Width	830MM
Max Speed & Working Speed	12Km/Hr & 6Km/Hr
Suction Motor	310W
Driving Motor	300W
Brush Motor	350W
Brush (Rpm)	170Rpm
Brush Pressure	25Kg
Brush Size	20"
Noise Level	<68dba
Max Gradient	10°



KLEENZINE 1200E AUTO SCRUBBER DRIER



Specifications

Description	Values
Voltage / Frequency	220V, 50Hz
Sucker Width	770 mm
Diameter of Brush Disc	455 mm
Brush Motor Type	Induction
Brush Motor Power	1100 W
Washing Brush Pressure	30 kgs
Power of Suction Motor	1100 W
Washing Brush Speed	148 rpm
Length of Power Cable	18 mtr
Clear Water Tank Capacity	28 ltr
Dirty Water Tank Capacity	32 ltr ²
Performance	1660 m /hr
Net Weight	69 kgs

KLEENZINE 550E MINI AUTO SCRUBBER DRIER



Specifications

Description	Values
Voltage	220 v
Power	550 W
Brush Motor Type	Induction
Brush Rotation Speed	175 rpm
Brush Pressure	25 kgs
Brush Diameter	13"
Cable Length	12 mtr
Clean Water Tank Capacity	13 ltr
Dirty Water Tank Capacity	15 ltr
Net Weight	42 kgs



RIDE ON SCRUBBER DRYER

Working Width	660mm
Squeegee Width	850mm
Max Forward Speed	6.5 Km/h
Max Capacities	4200m ² /H
Brush Pressure	55kg
Brush RPM	155 rpm
Brush Motor	24/550V/W
Drive Motor	24/500V/W
Suction Motor	24/550V/W
Solution Tank	85L
Recovery Tank	95L
Max Gradient	18%
Dimensions LXWXH	1350*620*1080mm
Batteries	2x12V
Batteries Weight	2*35kg
Net Weight	175kg

SCRUBBER DRYER

Working Width	510mm
Squeegee Width	840mm
Max Forward Speed	4.5 Km/h
Max Capacities	2150m ² /H
Brush Pressure	35kg
Brush RPM	155 rpm
Brush Motor	AC110-230/750V/W
Suction Motor	AC110-230/1200V/W
Solution Tank	60L
Recovery Tank	65L
Dimensions LXWXH	1410*560*960mm
Cable Length	15m
Net Weight	135kg



KLEENZINE 1500B AUTO SCRUBBER DRIER

Specifications



Description	Values
Brush Cleaning Width	510 mm
Vacuum Squeeze Width	755 mm
Brush and Pad Size	510 mm
Brush Rotation Speed	210 rpm
Vacuum Suction	140 mbar
Floor Motor	750 W
Suction Motor	700 W
Clean Water Tank Capacity	40 ltr
Dirty Water Tank Capacity	50 ltr
Performance	1740 m ² /hr
Noise Level	65 dB
Voltage	24 V
No. Of Batteries	2
Net Weight	78 kgs
Gross Weight	103 kgs

KLEENZINE 750E / 750B (Cable/Battery Operated) AUTO SCRUBBER DRIER

Specifications



Description	Values	Values
Voltage	220 v	24 v
Cleaning Width	430 mm	430 mm
Water Sucker	530 mm	530 mm
Cleaning Rate	1700 m ² /hr	1700 m /hr
Brush Size	17"	17"
Brush Rotation Speed	160 rpm	160 rpm
Vacuum Suction	180 mbar	140mbar
Brush Motor	750 W	550 W
Water Sucker Motor	700 W	500 W
Clean Water Tank Capacity	25 ltr	25 ltr
Dirty Water Tank Capacity	25 ltr	25 ltr
Cable Length	18 mtr	--
Gross Weight	75 kgs	121 kgs
Net Weight	60 kgs	106 kgs

KLEENZINE 1500E AUTO SCRUBBER DRIER

Specifications

Description	Values
Brush Cleaning Width	510 mm
Vacuum Squeeze Width	755 mm
Brush and Pad Size	510 mm
Brush Motor Type	Induction
Brush Rotation Speed	210 rpm
Vacuum Suction	140 mbar
Floor Motor	1100 W
Suction Motor	1100 W
Clean Water Tank Capacity	45 ltr
Dirty Water Tank Capacity	50 ltr ²
Performance	1740 m /hr
Voltage	220V, 50 Hz
Noise	65 dB
Net Weight	78 kgs
Gross Weight	103 kgs



KLEENZINE 1400E AUTO SCRUBBER DRIER

Specifications

Description	Values
Voltage / Frequency	220V, 50 Hz
Sucker Width	770 mm
Diameter of Brush disc	455 mm
Brush Motor Type	Induction
Brush Motor Power	1100 W
Washing Brush Pressure	30 kgs
Power of Suction Motor	1100 W
Washing Brush Speed	170 rpm
Noise Level	65 dB ²
Cleaning Performance	1850 m /hr
Length of Power Cable	18 mtr
Clear Water Tank Capacity	38 ltr
Dirty Water Tank Capacity	45 ltr
Net Weight	69 kgs





MOBILE DEWATERING SOLUTION FOR SEPTIC TANK

As for septic Tanks, it had been common that sludge was disposed by tanker truck and send to sludge high, which had been a major issue among user and maintenance service company. dewatering facilities for post treatment. For that reason, the annual sludge disposal cost was extremely


ADVANTAGES

Mobile dewatering truck reduces the sludge disposal cost by $1/3^d$, even if the operating cost is included. Also, the longstanding issue which user and maintenance service company had before was resolved with the solution of this system

In addition, the filtrate can be disposed to municipal network (SS is removed 99%, BOD is removed 98.5%, COD is removed 99.7%) for further treatment and slu and the sludge cake will be collected and reused as fertilizer.

APPLICATION

Complicated Sludge Treatment Condition
Unstable Sludge Quantity
Temporary Treatment



Sludge Cake



Filtrate

FEATURES


Small volume, high efficiency
Mobility
Wide Usage
Modularity
Easy Operation & Maintenance
Adaptability to environment
Quality Guarantee

Sludge Type :	Excess Sludge from Septic Tank
Solid Concentration :	5%
Flow Rate :	4.0 m ³ /hr.
DS Throughput :	198 Kg-DS/Hr.
Cake Solids Content :	25%
Capture Rate :	99.2%
Inflow BOD	3600 mg/L
COD	45800 mg/L
SS	40000 mg/L
Filtrate BOD	55 mg/L
COD	149 mg/L
SS	400 mg/L



KLEENZINE PROFESSIONAL

TRUCK MOUNTED SWEEPER



Parameters	Specifications
Auxiliary Engine (diesel, 4 cylinders)	80 HP, turbo
Sweeping Performance (15 km/hour)	27750 m ² /hour
Garbage Tank Capacity	3 m ³
Side Brush Diameter	400 mm
Middle Brush Diameter	400 mm
Middle Brush Length	1000 mm
Max. Sweeping Width	1850 mm
Water Tank Capacity	500 lt
Water Pump	5 bar
Hydraulic Oil Tank Capacity	80 lt
Suction Hose Diameter	180 mm
Suction Hose Length	5 Mtrs.
Sweeping Speed	1-15 km/hour

KLEENZINE PROFESSIONAL

KLEENZINE

KLEENZINE PROFESSIONAL



TRUCK MOUNTED MECHANICAL CONVEYER SWEEPER

Debris Hopper:

Material volume: 3.1 cu. m volumetric
Maximum dump height: 10' 6" (3,200mm)
Minimum dump height: 18" (457 mm)
Left side dumping: standard
Dump angle: 50°
Dump capacity: 9,500 lbs (4,309 kg)
Lifting: scissor with single telescopic hydraulic cylinder

Water System:

Patented Water Saver System
Capacity: 832 litres
Tank material: polyethylene
Electric pump: diaphragm, 2 x 15 lpm @ 4bar
Water system material: non-corrosive, 100 mesh
Spray Nozzles: 6 under cab, 4 over MB, 2 each GB,
Drip nozzle over each GB



Main Broom:

Hydraulic direct drive: variable and reversible
Diameter: 36" (914 mm)
Length: 58" (1,473 mm)
Steel core: 8.63" (219 mm diameter)
Pressure Control: left/right independent spring tension
Lift Type: hydraulic
Mounting: trailing arms/side support

Gutter Brooms:

Number of brooms: 2
Diameter Bristle: 44" (1,117 mm)
Design: free-floating spring suspension
Hydraulic direct drive: reversible
Adjustment: independent; left/right, up/down
Controls: pressure & wear, tilt

S2 Specifications

General Specifications:

Sweeping path: 114" (2,895 mm)
Overall height: 102" (2,590 mm)
Overall length: 254" (6,452 mm)
Dump height max: 126" (3,200 mm)
Dump location: left side standard
Wheelbase: 132" (3,353 mm)

Engine, Auxiliary:

Manufacturer: Cummins
Model: QSF 2.8, 4 cylinder turbo diesel
Displacement: 2800 cc
Rated horsepower: 74 hp@2500 rpm
Torque: 221 ft-lbs@1600 rpm

Hydraulic System:

Tank capacity: 171 litres
Pump: tandem gear
Pump Capacity: 2 x 38 lpm @ 1800 rpm
Controls: electric over hydraulic
Hydraulic drive motors: all interchangeable
Hydraulic fluid cooler: air to oil

Conveyor:

Squeegee-type system with 7 flights
Hydraulic direct drive, variable speed and reversible
Relief valve protected
Width: 56.5" (1,435 mm)
Conveyor flush system

Instrumentation & Controls:

Auxiliary Engine LCD Screen: oil pressure, coolant temperature, voltage, fuel rate
Elevator Stall Warning

Lighting (Electrical) System:

Warning beacon & emergency flasher lamps
Back-up lamps with audible alarm
Gutter broom and main broom spotlights

Standard Features:

150 litres fuel tank, greaseless sweeper body,



KLEENZINE PROFESSIONAL

Gharkul Express Magic Pride, Row House No. 28/A, Gat No. 251, Bhavadi, Tal. Haveli, Pune - 412 207
kleenzineprofessional@gmail.com, support@kleenzineprofessional.com Contact : +91 9822479532



GARBAGE COMPACTORS

Particulars	UOM	WP-7 UBL		WP-14 UBL/DP			WP-18 UBL/DP				
Loading Box Volume	m ³	7	14	14	14	18	18	18	18	18	
Hopper Volume (Swept Volume)	m ³	0.9	0.9	1.55	1.55	1.55	1.55	1.55	1.55	1.55	
Loading Height	mm	1000	1000	1100	1100	1100	1100	1100	1100	1100	
Universal Bin Lifter	Yes/No	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes
Bin Lifter System	Specs	NA	EN / DIN	NA	EN / DIN	NA	EN / DIN	NA	EN / DIN	NA	EN / DIN
Bin Volumetric Capacity	ltr	NA	120-1100	NA	120-1100	NA	120-1100	NA	120-1100	NA	120-1100
Material of Construction	Grade	Fabricated components from structural grade steel - IS 2062 / ST52 for container body and tailgate and IS 1079 standard steel sheet									
Compaction Cycle Time (approx)	sec	20	20	20	20	20	20	20	20	20	20
GVW	tonne	11	11	16	16	16	16	25	25	25	25
Wheel Base (minimum)	mm	3600	3600	4200	4200	4200	4200	4650	4650	4650	4650
Drive Line		4 x 2	4 x 2	4 x 2	4 x 2	4 x 2	4 x 2	6x2 / 6x4	6x2 / 6x4	6x2 / 6x4	6x2 / 6x4
Nos. of Cylinders	Nos	7	9	7	9	9	11	7	9	9	11
Pressure	bar	170									
Flow	lpm	60@1500 RPM			90@1800 RPM			90@1800 RPM			
Oil Storage Tank Capacity (minimum)	lpm	100	100	150	150	150	150	150	150	150	150
CYLINDERS {(Bore x Stroke x (stages))}											
Packer Plate	mm	70 x 410			80 x 549			80 x 549			
Tailgate	mm	80 x 570			80 x 636			80 x 636			
Slide	mm	80 x 490			100 x 673			100 x 673			
Ejector Block	mm	105 x 1858 x (03)			110 x 2325 x (03)			160 x 3425 x (04)			
Bin Lifter	mm	80 x 275			80 x 275			80 x 275			
Dumper Placer Arms	mm	Not Applicable		Not Applicable		120 x 750		Not Applicable		120 x 750	
Rear End Stabilizer	mm	Not Applicable		Not Applicable		90 x 320		Not Applicable		90 x 320	

COMPACTION STEPS



Starting position



The packer plate opens




The carrier plate comes down and the hopper shuts



The garbage is compacted as the carrier plate ascends



The hopper is emptied & the compacted garbage moved into the container



The ejector plate pushes out the compacted garbage from the container

COLLECTION



Hydraulically operated Dumper Placer Arms swung out and aligned in position to lift Skip off the ground.



Dumper Placer Arms lifted, holding the skip in a tilted position to empty garbage into the compactor hopper



Once emptied, the dumper placer arms swung out, returning the empty container back to ground

Range of bins & containers as per EN - 840 standards that can be loaded in to the hopper by the bin lifter.



60 lbs., 80 lbs., 120 lbs., 240 lbs., 660, 770, 1200 lbs.

SCOOTY MOPPING MACHINE

Power	500W
Continuous Working Range	30Km
Battery Spec	12V x 3 x 12AH
Max Speed & Working Speed	12Km/Hr & 6Km/Hr
Radius Turn	1200MM
Max Gradient	150°
Tyre Specifications	9" Pneumatics
Total Weight	40 Kg (Inc Battery)
Dimension	115 x 55 x 90 Cm



MANUAL SWEPER

Sweeping Path	1000MM
Productivity	4200m ² /Hr
Trash Capacity	55 Ltr
Working Speed	4-5 Km/Hr
Main Brush Spec	480 MM (1 No's)
Side Brush Spec	350 MM (2 No's)
Body Type	Plastic
Net Weight	21 Kg



SCRUBBING MACHINE & HIGH SPEED POLISHER



FLOOR BRUSH 17"




CARPET BRUSH 17"



PAD HOLDER 17"

Power	1100W	1500W	700W
Voltage	220V	220V	220V
Brush Rotation	154 Rpm	154 Rpm	190 Rpm
Brush Size	17"	17"	13"
Length of Cable	12m	12m	12m
Weight	48 Kg	48 Kg	29 Kg
Accessories	Floor Brush, Carpet Brush, Pad holder		
Packing	4 Ctns/ Set		



PAD HOLDER 20"

Power	1500W
Brush Speed	1500 Rpm
Voltage	220V
length of Cable	12m
Brush Size	20"
Net Weight	50 Kg
Accessories	Pad Holder
Packing	1 Ctn / Set

KLEENZINE 1100 MULTIFUNCTION SINGLE DISC



Specifications

Description	Values
Power	1100 W
Voltage	220 v
Speed	154 rpm
Main Cable Length	12 mtr
Base Plate Diameter	17"
Weight	48 kgs
Accessories : Water Tank, Hard Brush, Soft Brush, Pad Holder.	

KLEENZINE 1200 MULTIFUNCTION SINGLE DISC



Specifications

Description	Values
Power	1100 W
Voltage	220 v
Speed	154 rpm
Main Cable Length	12 mtr
Base Plate Diameter	17"
Weight	48 kgs
Accessories : Water Tank, Hard Brush, Soft Brush, Pad Holder.	

KLEENZINE 1500 (2hp) FLOOR RENEWING / POLISHING MACHINE

Specifications

Description	Values
Power	1500 W
Voltage	220 v
Speed	165 rpm
Main Cable Length	12 mtr
Base Plate Diameter	17"
Weight	50 kgs
Accessories : Water Tank, Hard Brush, Soft Brush, Pad Holder.	



KLEENZINE 1100 FLOOR RENEWING / POLISHING MACHINE

Specifications

Description	Values
Power	1500 W
Voltage	220 v
Speed	175 rpm
Low Noise	54 dB
Main Cable Length	12 mtr
Base Plate Diameter	17"
Weight	68 kgs
Accessories : Water Tank, Hard Brush, Soft Brush, Pad Holder.	





STAIR CASE MACHINE

Power	375W
Voltage	220-240V
Pad Size	40 Cm
Working Speed	2900 Rpm
Net Weight	17Kg
Accessories	Polishing Pad, Microfibre Pad



MINI FLOOR POLISHER

Volatage	220-230V
Power	170W
Working Width	6" Twin Head
Working Speed	450 Rpm
Accessories	6" Hard Brush
Accessories	6" Microfibre Pad

HAND BUFFING MACHINE





ESCALATOR CLEANER

Power	1180W
Voltage	220-230V
Operating Width	450MM
Dry Motor	1000W
Brush Motor	180W
Brush Speed	230 Rpm
Capacity	20L
Net Weight	38Kg

ELECTRONIC FOAMER



ELECTRIC FOAMER (H)





KLEENZINE PROFESSIONAL

VACUUM CLEANERS

10 LTR (DRY)



15 LTR



30LTR



60 LTR



80 LTR



Capacity	10 Ltr	15 Ltr	30 Ltr	60 Ltr	80 Ltr
Power	1000W	1000W	1200W	2000W	3000W
Voltage	220V	220V	220V	220V	220V
Airflow	42L/Min	48L/min	53L/Min	106L/Min	106L/Min
Function	Dry	Wet & Dry	Wet & Dry	Wet & Dry	Wet & Dry
Accessories	36MM	36MM	38MM	38MM	38MM
Length of Cable	7M	7.2M	7.2M	7.2M	7.2M
Cooling Mode	Recycle	Recycle	Recycle	Recycle	Recycle
Package	1 Unit / Ctn	1 Unit / Ctn	1 Unit / Ctn	1 Unit / Ctn	1 Unit / Ctn
Dimension	40 x 40 x 52 Cm	43 x 43 x 61 Cm	43 x 43 x 80 Cm	63 x 55x 97 Cm	63 x 55 x 102 Cm
Gross Weight	10 Kg	12.6 Kg	14.1 Kg	24.8 Kg	27.8 Kg

KLEENZINE

KLEENZINE PROFESSIONAL

KLEENZINE 30 WET AND DRY VACUUM CLEANER (S.S)



Specifications

Description	Values
Function	Wet and Dry
Capacity	30 ltr
Power	1100 W
Voltage	220 v
Height	76 cms
Tank Diameter	345 mm
Mode of Cooling	Circulating Air
Air Flow Rate	53 l/s
Vacuum Suction	230 mbar
Length of the Cable	7 mtr
Hose Diameter	40 mm
Packing Dimensions	43 * 43 * 81 mm

KLEENZINE 60 / CRV 80 (2 / 3 MOTOR) WET AND DRY VACUUM CLEANER (S.S)



Specifications

Description	Values
Function	Wet and Dry
Capacity	60 / 80 ltr
Power	2200 / 3300 W
Voltage	220 v
Height	90 cm
Tank Diameter	440 mm
Mode of Cooling	Circulating Air
Air Flow Rate	106 l/s
Vacuum Suction	250 mbar
Length of the Cable	8 mtr
Hose Diameter	40 mm
Packing Dimensions	63.5 * 56 * 99 cm

KLEENZINE

KLEENZINE PROFESSIONAL

KLEENZINE WET AND DRY VACUUM CLEANER (S.S)



Specifications

Description	Values
Function	Wet and Dry
Capacity	30 ltr
Power	1100 W
Voltage	220 v
Height	76 cms
Tank Diameter	345 mm
Mode of Cooling	Circulating Air
Air Flow Rate	53 l/s
Vacuum Suction	230 mbar
Length of the Cable	7 mtr
Hose Diameter	40 mm
Packing Dimensions	43 * 43 * 81 mm

KLEENZINE (2 / 3 MOTOR) WET AND DRY VACUUM CLEANER (S.S)



Specifications

Description	Values
Function	Wet and Dry
Capacity	60 / 80 ltr
Power	2200 / 3300 W
Voltage	220 v
Height	90 cm
Tank Diameter	440 mm
Mode of Cooling	Circulating Air
Air Flow Rate	106 l/s
Vacuum Suction	250 mbar
Length of the Cable	8 mtr
Hose Diameter	40 mm
Packing Dimensions	63.5 * 56 * 99 cm



VACUUM CLEANER (BAG PACK)

Power	1000W	1200W
Voltage	220V	220V
Tank Capacity	5L	4L
Length of Cable	18M	7M
Accessories	32 MM	32 MM
Noise Level	<72 dba	<72 dba



HIGH PRESSURE WASHER (S)

Motor Type	Induction
Max & Min Pressure	14Mpa & 9Mpa
Flow	6 L/ Min
Voltage	220V
Accessories	1 adjustable Gun
	5m Pressure Hose
	2M Inlet Hose with Filter
	1 Quick Connector

UPHOLSTERY VACUUM CLEANER

Suction Motor	1000W
Foam Motor	100W
Brush Motor	40W
Spray Motor	40W
Solution Tank	4L
Recovery Tank	12L
Length of Cable	10M
Noise Level	< 60dba
Weight	24Kg
Dimension	52 x 38 x 63 Cm



CARPET INJECTION MACHINE 30 LTR

Tank Capacity	30L
Solution Tank	10L
Power	1000W
Power (Water Pump)	34W
Voltage	220V
Airflow Rate	53L/Min
Length Of Cable	8M
Accessories	38MM
Weight	17.5 Kg

BLOWER

Power	850W
Voltage	220V
Length of Cable	6M
Rotate Speed	L-M-H





HIGH PRESSURE WASHER (STAND)

Motor Type	Induction	Induction
Pressure	150 Bar	200 Bar
Flow Rate	12L/Min	14L/Min
Power	3KW Single Phase (1 Φ)	5KW Three Phase (3 Φ)
Rpm	1450 Rpm	1450 Rpm
	Copper Wire Induction Motor	
	4-Pole with Overload Protection	
	Triplex Plunger Direct Drive Pump	
	10m Single High Pressure Hose	
	Quick Coupling Connector	
	Thermal Protection	
	Stainless Steel Frame	
	4 Tips, QD Nozzles	

HIGH PRESSURE TROLLEY

Pressure	250 Bar
Flow Rate	15L/ Min
Power	7500 W
Voltage	450v 3 Phase
Rpm	1450 Rpm
	Copper Wire Induction Motor
	4-Pole with Overload Protection
	Triplex Plunger Direct Drive Pump
	10m Single High Pressure Hose
	10" x 2 Nos Pneumatic Wheels
	Long Trigger Gun
	Pressure Guage, Thermal Protection
	Stainless Steel Cover
	4 Tips, QD Nozzle



KLEENZINE 590 JET PRESSURE WASHER

Specifications

Description	Values
Working Pressure	160 bar
Max Pressure	180 bar
Flow	10 ltr/min
Max Pressure (psi)	2300 psi
Power	3000 W
Motor	Induction
Pump	Brass
Voltage	220 v
Hose Pipe Length	8 mtr
Cable Length	6 mtr
Max. Temperature	50 c
Motor rpm	2800



KLEENZINE JET PRESSURE WASHER - ECO RANGE

Specifications

Description	Values
Working Pressure	150 bar
Max Pressure	180 bar
Flow	7.5 ltr/min
Power	3000 W
Motor	Induction
Pump	Brass
Voltage	220 v
Weight	25 kgs
Hose Pipe Length	8 mtr
Cable Length	6 mtr
Box Dimensions	84 * 36 * 38.5 cm



KLEENZINE BAR JET PRESSURE WASHER



Specifications

Description	Values
Working Pressure	80 - 100 bar
Max Pressure	100 bar
Flow	6 ltr/min
Power	3000 W
Motor	Induction
Pump	Standard
Voltage	220 v
Weight	15 kgs
Hose Pipe Length	8 mtr
Cable Length	6 mtr

KLEENZINE 11L / 12L / 15L JET PRESSURE WASHER



Specifications

Description	Values	Values
Working Pressure	150 bar	200 bar
Max Pressure	160 bar	210 bar
Flow	11 ltr/min	15 ltr/min
Rotation	1450 rpm	1450 rpm
Power Consumption	2.25 units	5.59 units
Pump	Brass	Brass
Phase	Single	Three
Weight	65 kgs	85 kgs
Hose Pipe Length	8 mtr	8 mtr
Max. Temperature	60 c	60 c



MULTIFUNCTION SERVICE CART
C-101



MULTIFUNCTION SERVICE CART (S)
C-102



MULTIFUNCTION JANITORIAL CART
C-103



JANITORIAL CART
C-104



X SHAPE LAUNDRY CART (SS)
C-105



QUADRATE LAUNDRY CART (SS)
C-106



X SHAPE LAUNDRY CART (PLASTIC)
C-107



LAUNDRY CART (ROUND)
C-108



UTILITY CART (S)
C-109



UTILITY CART (B)
C-110



RESTAURANT TROLLEY (S)
C-111



RESTAURANT TROLLEY (B)
C-112



2 POCKET BUCKET
C-113



PORTABLE BUCKET
C-114



20LTR WRINGER BUCKET
C-115



40 LTR WRINGER BUCKET
C-116



50 LTR WRINGER BUCKET
C-117



60 LTR WRINGER BUCKET
C-118



3 BUCKET TROLLEY
C-119



3 BUCKET TROLLEY
C-119A



14"/16"/18" WASHER SLEEVES
C-225-227



FLOOR SCRAPER
C-228



LONG HANDLE FLOOR SCRAPER
C-230



PLASTIC WINDOW SCRAPER
C-231



MINI POCKET SCRAPER
C-232



TELESCOPIC POLE (1.2/3.6 /6/8/11MTR)
C-233-238




BENDED TUBE BRUSH
C-239



RINGED TUBE BRUSH
C-240



MOP HOLDER (ABS)
C-241



MOP HOLDER (ALUMINIUM) 4 BRACKET
C-243



SPRAY BOTTLE
C-244



SPRAY BOTTLE (ROUND)
C-245



TRIGGER
C-246



LEAF PICKER
C-248



LATEX GLOVES
C-325



KITCHEN GLOVES
C-325A



SHOE POLISH MACHINE (S/M)
C-250/252



SHOE POLISH MACHINE (L)
GOLD C-254



SOLE CLEANING MACHINE
GOLD C-256



SHOE COVER DISPENSER
C-258



LUGGAGE TROLLEY (ABS)
C-120



LUGGAGE TROLLEY (SS) (S)
C-121



LUGGAGE TROLLEY (M)
C-122



LUGGAGE TROLLEY (L)
C-123



LUGGAGE TROLLEY (XL)
C-124



SIGN STAND (S)
C-125



UMBRELLA HANGER (12"/18")
C-130/130A



QUEUE MANAGER (H)
C-131



QUEUE MANAGER
C-132



CUP DISPENSOR
C-133



CADDY/TOOL BASKET
C-201



LOBBY DUST PAN (GREY)
C-206



LOBBY DUST PAN (BLACK)
C-207



CAUTION SIGN BOARD
C-208



WINDOW CLEANING KIT
C-212



WINDOW KIT BAG
C-213



16' COMBI
C-214



10"-18" WINDOW SQUEEZE (SS)
C-215-218



RUBBER STRIP (BLACK/BLUE)
C-220/221



14"-18" WINDOW WASHER
C-222-224

KLEENZINE PROFESSIONAL



MICROFIBER CLOTH
(40x40/ 40x60/ 60x60)
C-301-320



CHECK CLOTH
C-321



GLASS CLEANING CLOTH
C-322




MOP CLOTH
C-323




DRY MOP FRAME
C-401A



DRY MOP - REFILL
C-402



WET MOP - REFIL
C-403



YELLOW CLEANING CLOTH
C-324



ALUMINIUM DRY MOP FRAME 18"/22"
C-404



DUST MOP 18"(COMPLETE SET)
C-408



DUST MOP FRAME 18"
C-408A



DUST MOP FRAME (PLASTIC) 18"
C-410



ALUMINIUM DRY MOP REFILL - 18" (VELCRO)
C-406



DUST MOP REFILL - 18" (BLUE)
C-412



DUST MOP REFILL - 18" (GREY)
C-414



WET MOP SET
C-416



MOP CLIP
C-417



WET MOP REFILL LOOPED (350GMS)
C-422C



WET MOP REFILL UNLOOPED (350GMS)
C-423C



WET MOP REFILL MICROFIBRE (300 GMS)
C-424



MOP CLIP
C-421A



ALUMINIUM POLE
C-425



METAL STICK
C-433



WOODEN STICK
C-435



ROAD BRUSH 18"/24" (H)
C-501/502



ROAD BRUSH 18"
C-503



MR. TALL
C-505



MR. TALL (H)
C-506



HARDY BRUSH
C-507



SCRUBBING BRUSH (H)
C-508



DAIMOND BRUSH
C-509



JALA BROOM
C-510



GARDEN BRUSH
C-511



CARPET BRUSH (S)
C-512



CARPET BRUSH (M)
C-513A



CARPET BRUSH (B)
C-514



CARPET BRUSH WOODEN DUST PAN WITH BRUSH (MINI)
C-516



C-518



DUST PAN WITH BRUSH (H)
C-520



DUST PAN
C-521



TOILET BRUSH ROUND
C-523



TOILET BRUSH SINGLE HOCKEY
C-525



TOILET BRUSH DOUBLE HOCKEY
C-527



TOILET BRUSH WITH CONTAINER
C-529



SINK BRUSH
C-531



SINK BRUSH (H)
C-532



CLOTH BRUSH
C-533



CLOTH BRUSH (H)
C-534



BOTTLE BRUSH
C-535



FEATHER DUSTER (S)
C-537



FEATHER DUSTER (M)
C-538



FEATHER DUSTER WITH CAP
C-539



CAR DUSTER (FLAT)
C-541



CAR DUSTER (ROUND)
C-542



MINI CAR DUSTER
C-543



CAR BRUSH
C-544



TYRE BRUSH
C-545



SPRAY MOP
C-546



HAND SCRUBBER
C-547



AC BIND CLEANER
C-548



CARPET ROLLER
C-549



HAND GLOVES (MICROFIBRE)
C-550



BLUE & WHITE SQUEEZE 18"/22"
C-552/553



BLUE & BLACK SQUEEZE 14"/18"/22"
C-554A/554/555



RUBBER HOLDER SQUEEZE 18"/22"/30"
C-556/557/557A



METAL HOLDER SQUEEZE 18"/22"
C-558/559



WIPER
C-560



WIPER (H)
C-562




PLASTIC WIPER
C-564



SPONGE (COMPRESSED)
C-566



SPONGE CAR (H)
C-567



SCOTCH BRITE (3X4/ 4X6)
C-568/569



KITCHEN WIPER
C-565



DOODLE
C-504A



DOODLE
C-504B



WIPER WITH BRUSH
C-551



JET HAND DRYER (BIG)
H-101



SS JET HAND DRYER
H-102



SS HAND DRYER (NOZZLE)
H-103



SS HAND DRYER (MINI)
H-104



ABS HAND DRYER (WALL MOUNTING)
H-105



ABS HAND DRYER
H-106



HAIR DRYER
H-107



HAIR DRYER WITH SWITCH
H-108



SS QUADRATE DISPENSER
H-201



QUADRATE DISPENSER
H-202



QUADRATE DISPENSER
H-203



SS MINI QUADRATE DISPENSER
H-204



MINI QUADRATE DISPENSER
H-205



MINI QUADRATE DISPENSER
H-206



SS CIRCULAR DISPENSER
H-207



CIRCULAR DISPENSER
H-208




CIRCULAR DISPENSER
H-209



HRT AUTOCUT DISPENSER
H-212



CENTRE PULL DISPENSER
H-213



CUBE DISPENSER
H-214



FLAT DISPENSER (S)
H-215



FLAT DISPENSER (M)
H-216



KITCHEN ROLL DISPENSER
H-217



MINI CIRCULAR DISPENSER
H-210



TISSUE PAPER HOLDER (SS)
H-211



POP UP DISPENSER
H-218



SOAP DISPENSER (600ML)
H-321



SOAP DISPENSER - 800ML
H-322



SOAP DISPENSER ABS (BLUE)
H-323



SOAP DISPENSER 500 ML
H-324



SOAP DISPENSER
H-325



SOAP DISPENSER AUTOMATIC
H-326



SOAP DISPENSER AUTOMATIC
H-327



WALL MOUNTED SOAP DISPENSER
H-328



SOAP DISPENSER
H-329



TRANSPARENT SOAP DISPENSER
H-330



TRANSPARENT SOAP DISPENSER
H-331



TRANSPARENT SOAP DISPENSER (BLUE)
H-332



SS SOAP DISPENSER - 500ML
H-333



SS SOAP DISPENSER - 800ML
H-334



SS SOAP DISPENSER - 1000ML
H-335



SOAP DISPENSER 1000 ML
H-336



SOAP DISPENSER (1000ML) AUTOMATIC
H-337



TWIN SOAP DISPENSER
H-338



SANITISER (1000ML)
H-339



SANITISER (WALL MOUNTING)
H-340



AUTOMATIC ROOM FRESHNER
(LED)
H-401



AUTOMATIC ROOM FRESHNER
(LCD)
H-402



AUTOMATIC ROOM FRESHNER
(LED) BIG
H-403



AUTOMATIC ROOM FRESHNER
(LCD) BIG
H-404



AUTOMATIC ROOM FRESHNER
H-405



AUTOMATIC ROOM FRESHNER
H-406



AIR REVITISOR (M)
H-407




AIR REVITALISOR (B)
H-408



8" MAGNIFYING MIRROR
H-409



URINAL SCREEN
H-501



V SCREEN
H-515



FLAT SCREEN
H-519



AER POCKET
H-523



250/110ML REFILLS
H-524



DIFFUSER OIL
H-526



ODONIL
H-528



PERFORATED BIN (7 X10/ 8 X 12/ 10 X 14)
D-101-103



PLAIN BIN (7 X10/ 8X12/ 10X14)
D-104-106



SS DUSTBIN PEDAL (5L/7L/11L)
D-107-109



SS SWING BIN (8 X 12/ 10 X 14/ 12X24/ 12X28/ 14X28)
D-110-114



PUSH BIN (10 X 14/14 X 32)
D-115/116



ASHTRAY BIN (10 X 24/12 X 28)
D-117/118



PLANTER (12 X 12/14X14)
D-119/120



ASHTRAY BIN (IMPORTED)
D-203



120 LTR DUSTBIN
D-209-213



240 LTR DUSTBIN
D-214-218



660 LTR DUSTBIN
D-220



1100 LTR DUSTBIN
D-220



MESH BIN (SM/L)
D-206-208



30/45/68/87 LTR PEDAL BIN
D-221-224



25/60 LTR PUSH BIN
D-225-226



25/60 LTR SWING BIN
D-227-228



8L/10L DUSTBIN (SQUARE)
D-229-230



FEMININE BIN
D-232



ROUND DUSTBIN
D-



COATED DUSTBIN MESH BIN (S)
D-205



ISO 9001:2015

KLEENZINE PROFESSIONAL



FOGGER MACHINE

Fogger-ULV

For Fumigation Air / Environment sterility



VACUUM MOTOR (WHITE)



VACUUM MOTOR



VACUUM MOTOR (AMETEK)




EXTRACTOR MOTOR



DRY MOTOR




SINGLE STAGE MOTOR



15 LTR ACCESSORIES



30/ 60/ 80 LTR ACCESSORIES



DAIMOND PADS



3M PADS



NORTON PADS



KLEENZINE PROFESSIONAL

Address : Gharkul Express Magic Pride , Row House No 28A, Gat No 251, Bhavadi Tal Haveli, Pune 412207
Mobile : +91 9822479532
E-MAIL : kleenzineprofessional@gmail.com support@kleenzineprofessional.com
Website : www.kleenzineprofessional.com